

## **Desktop Sponsored Quiz Page**



Page 1 USA-785-80705 09-19


### **Desktop Answer Feedback Page**




☆ :


[ALTERNATE CTA]
Take the next quiz >>

### **Desktop Answer Feedback Page**





Page 4 USA-785-80705 09-19



## Fracture risk in women over age 50 with osteoporosis


No live date is defined

What proportion of US women over the age of 50 will have an osteoporosis-related fracture in her lifetime?<sup>1</sup>



The answer is "1 in 2".

Here's how your colleagues have answered:



**Explanation:** 1 in 2 US women over the age of 50 will have an osteoporosis-related fracture in her lifetime. <sup>1</sup>

After a fracture, patients may grapple with pain, physical limitations, and other challenges<sup>2</sup>

- Approximately 9 out of 10 women worry about fracturing again<sup>1</sup>
- 4 out of 5 women were afraid that they would be less able to perform their daily activities<sup>1</sup>
- 7 out of 10 women were concerned about reducing activities with family and friends<sup>1</sup>

[Why osteoporosis matters >>]


### References:

- US Department of Health and Human Services. Bone Health and Osteoporosis: A report of the Surgeon General. Rockville, MD: Department of Health and Human Services, Office of the Surgeon General; 2004.
   Cosman F, de Beur SJ, LeBoff MS, et al. Clinician's
- guide to prevention and treatment of osteoporosis.

  Osteoporos Int. 2014;25:2359-2381.

© 2019 Amgen Inc. All rights reserved. USA-785-80705 09-19

Page 5 USA-785-80705 09-19



# Fracture risk in women over age 50 with osteoporosis


No live date is defined

What proportion of US women over the age of 50 will have an osteoporosis-related fracture in her lifetime?<sup>1</sup>



The answer is "1 in 2".

Here's how your colleagues have answered:



**Explanation:** 1 in 2 US women over the age of 50 will have an osteoporosis-related fracture in her lifetime. <sup>1</sup>

After a fracture, patients may grapple with pain, physical limitations, and other challenges<sup>2</sup>

- Approximately 9 out of 10 women worry about fracturing again<sup>1</sup>
- 4 out of 5 women were afraid that they would be less able to perform their daily activities<sup>1</sup>
- 7 out of 10 women were concerned about reducing activities with family and friends<sup>1</sup>

[Why osteoporosis matters >>]

### References:

- US Department of Health and Human Services. Bone Health and Osteoporosis: A report of the Surgeon General. Rockville, MD: Department of Health and Human Services, Office of the Surgeon General; 2004.
- Cosman F, de Beur SJ, LeBoff MS, et al. Clinician's guide to prevention and treatment of osteoporosis. Osteoporos Int. 2014;25:2359-2381.

© 2019 Amgen Inc. All rights reserved. USA-785-80705 09-19

Page 6 USA-785-80705 09-19